

Sample Received: July 14, 2026

COA Issued: July 21, 2026

## PRODUCT INFORMATION

Vendor: **Peptide Club** Sample Name: **KLOW 80mg** Sample Type: **Blue lyophilized powder** Lot Number: **07022026-001** MW (g/mol): **342.4, 403.2, 1419.5, 4964.2**

## ANALYTICAL METHODS

Identity: Confirmed via LC-MS



Purity: RP-HPLC (214 nm)

Content: HPLC quantitation

## TEST RESULTS

| Specification  | Result                        | Method            | Status     |
|----------------|-------------------------------|-------------------|------------|
| Identity: KLOW | KPV, GHK-Cu, BPC-157, TB-500  | LC/MS-MS          | ✓ Conforms |
| Content        | 50.86, 10.14, 10.29, 10.41 mg | HPLC Quantitation | ✓ Conforms |
| Overall Purity | 99.82%                        | RP-HPLC (214 nm)  | ✓ Conforms |
| Endotoxin      | <0.05 EU/mL                   | <USP85>           | ✓ Conforms |

## HPLC Chromatogram (Retention Time: 1.965, 2.138, 9.135, 9.209 min)



Certification: This COA confirms that the tested material meets or exceeds Bioviridian's analytical quality specifications for peptide research use.

Visit: <https://bioviridians.com/coa-search.html>

*Shane Straight*

Shane Straight, M.S.

Principal Chemist, Bioviridian Inc.